



LTPOE-1601E

16 Port PoE Switch with 1 Gigabit Uplink
100Mbps | 120W



16 POE PORTS

Plus one additional gigabit uplink

100Mbps (1 Gigabit Uplink)

Data transfer rate

120W MAX POWER

30W max per port

IEEE 802.3af

Standard

16 DIP SWITCHES

Full power on/off control

POWER PROTECTION

OVP & OCP

UNMANAGED

Ports Automatically detect devices

Standards

IEEE 802.3/u 10/100/1000Base/TX
IEEE 802.3x Flow Control
IEEE 802.3af PoE compliant
Midspan PoE compliant

Number of Ports

16 PoE ports + 1 gigabit uplink port

MAC Address

8k

Buffer Memory

512kb

Transmission Method

Store and Forward

Filtering/Forwarding Rates

1000Mbps port - 1,488,000pps
100Mbps port - 148,800pps
10Mbps port - 14,880pps

Transmission Media

10BaseT CAT 3, 4, 5 UTP
100/1000BaseTX CAT 5 UTP/STP

Max Power

120W (30W per port)

Output PoE Pin

4, 5, 7, 8

LED Indicators

Ports 1-16: 10/100Mbps, PoE on/off,
Power, Port 17: 10/100/1000Mbps

Power Adapter

Input: 100-240VAC, 50-60Hz
Output: 56VDC 2.14A (120W)

Dimensions H x W x D

9.6" x 4.6" x 1.6" (245 x 118 x 40mm)

Weight

3.5 lbs (1.6kg)

Operating Temperature

32°F ~ 122°F (0°C - 50°C)

Humidity

10 ~ 90% RH (Non-Condensing)

Certifications

FCC Class A, CE